

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 15.11.2021

Revision: 15.11.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name:

**P&O/ BLACK VANILLA**

Article number:

4236668

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Not for personal use. Only for industrial use.

This material is for industrial use only in household products, cosmetics, fragrances and fragranced products. Our products are Inedible and are not used for food production.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GÜLÇİÇEK KİMYA VE UÇANYAĞLAR SANAYİ VE TİCARET A.Ş.  
G.O.S.B. Gebze OSB Mah. 3300 Cad. No:3306/1 PK.41400  
Gebze – Kocaeli / TÜRKİYE

Further information obtainable from:

kalite@gulcicek.com

1.4 Emergency telephone number:

+90 (262) 677 00 00 pbx Only available during office hours (UTC+2)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

GHS08

GHS09

Signal word

Danger

Hazard-determining components of labelling:

Alkanes, C9-12-iso  
Benzyl Salicylate  
Linalool  
d-limonene  
Linalyl acetate

Hazard statements

H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H304 May be fatal if swallowed and enters airways.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P321 Specific treatment (see on this label).  
P331 Do NOT induce vomiting.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

## SECTION 3: Composition/information on ingredients

Description:

Multi component mixture.

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 15.11.2021

Revision: 15.11.2021

Trade name: **P&O/ BLACK VANILLA**

(Contd. of page 1)

**Dangerous components:**

CAS: 90622-57-4	Alkanes, C9-12-iso	20-25%
EINECS: 265-150-3	Flam. Liq. 3, H226; Asp. Tox. 1, H304	
Index number: 649-327-00-6		
CAS: 1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	20-25%
EINECS: 214-946-9	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
Index number: 603-212-00-7		
CAS: 118-58-1	Benzyl Salicylate	10-15%
EINECS: 204-262-9	Eye Irrit. 2, H319; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 121-33-5	Vanillin	2.5-5%
EINECS: 204-465-2	Eye Irrit. 2, H319	
CAS: 78-70-6	Linalool	2.5-5%
EINECS: 201-134-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
Index number: 603-235-00-2		
CAS: 128-37-0	Butylated hydroxytoluene	1-2.5%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 115-95-7	Linalyl acetate	1-2.5%
EINECS: 204-116-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 5989-27-5	d-limonene	1-2.5%
EINECS: 227-813-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
Index number: 601-029-00-7		
CAS: 140-11-4	benzyl acetate	1-2.5%
EINECS: 205-399-7	Aquatic Chronic 3, H412	
CAS: 68917-33-9	Lemon oil, terpenes	1-2.5%
EINECS: 284-515-8	Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 91-64-5	Coumarin	0.1-1%
EINECS: 202-086-7	Acute Tox. 4, H302; Skin Sens. 1B, H317	
CAS: 120-57-0	piperonal	0.1-1%
EINECS: 204-409-7	Skin Sens. 1, H317	
CAS: 127-91-3	beta-Pinene	0.1-1%
EINECS: 204-872-5	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 8008-57-9	Orange peel, sweet oil	0.1-1%
EINECS: 232-433-8	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 99-85-4	p-Mentha-1,4-diene	0.1-1%
EINECS: 202-794-6	Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411	
	cassis base	0.1-1%
	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 8008-56-8	Lemon oil	0.1-1%
EINECS: 284-515-8	Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	

**Additional information:**

For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

**4.1 Description of first aid measures**

**After inhalation:**

Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

**After eye contact:**

Rinse opened eye for several minutes under running water.

**After swallowing:**

If symptoms persist consult doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing agents:**

CO<sub>2</sub>, foam, dry chemical.  
Never use a direct water jet on burning material.

**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:**

Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.

**Additional information**

Cool endangered receptacles with water spray.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation  
Particular danger of slipping on leaked/spilled product.  
Keep away from ignition sources.  
Wear protective clothing.

(Contd. on page 3)

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 15.11.2021

Revision: 15.11.2021

Trade name: **P&O/ BLACK VANILLA**

(Contd. of page 2)

- . **6.2 Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- . **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Clean the affected area carefully; suitable cleaners are:  
Warm water and cleansing agent  
Organic solvent
- . **6.4 Reference to other sections** See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- . **Information about fire - and explosion protection:** No special measures required.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** No special requirements.
- . **Information about storage in one common storage facility:** Not required.
- . **Further information about storage conditions:** Store receptacle in a well ventilated area.  
Protect from humidity and water.  
Protect from exposure to the light.  
Store in a cool place.
- . **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- . **Additional information about design of technical facilities:** No further data; see item 7.
- . **8.1 Control parameters**
- . **Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.  
The lists valid during the making were used as basis.
- . **Additional information:**
- . **8.2 Exposure controls**
- . **Personal protective equipment:**
- . **General protective and hygienic measures:** Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not eat or drink while working.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- . **Respiratory protection:**
- . **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation of the material.
- . **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- . **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- . **Eye protection:** Goggles recommended during refilling
- . **Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

- . **9.1 Information on basic physical and chemical properties**
- . **General Information**
- . **Appearance:**
- . **Form:** Clear, Liquid
- . **Colour:** Colorless to very pale yellow
- . **Odour:** Oriental, Milky, Vanilla
- . **Flash point:** 62°C
- . **Auto-ignition temperature:** Product is not selfigniting.
- . **Explosive properties:** Product does not present an explosion hazard.
- . **Density at 25°C:** 0.934 - 0.944 g/cm<sup>3</sup>

(Contd. on page 4)

— EU —

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 15.11.2021

Revision: 15.11.2021

Trade name: **P&O/ BLACK VANILLA**

(Contd. of page 3)

. <b>Refractive Index at 25° C:</b>	1.4795-1.4865
. <b>Solubility in / Miscibility with water:</b>	Fully miscible.
. <b>alcohols:</b>	Fully miscible.
. <b>9.2 Other information</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

. <b>10.1 Reactivity</b>	No further relevant information available.
. <b>10.2 Chemical stability</b>	Stable in standard conditions.
. <b>Thermal decomposition / conditions to be avoided:</b>	No decomposition if used and stored according to specifications.
. <b>10.3 Possibility of hazardous reactions</b>	It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
. <b>10.4 Conditions to avoid</b>	Direct heat sources.
. <b>10.5 Incompatible materials:</b>	No further relevant information available.
. <b>10.6 Hazardous decomposition products:</b>	Carbon Monoxide and Unidentified organic compounds may be formed during combustion.

## SECTION 11: Toxicological information

. <b>11.1 Information on toxicological effects</b>	
. <b>Acute toxicity</b>	Based on available data, the classification criteria are not met.
. <b>LD/LC50 values relevant for classification:</b>	
<b>90622-57-4 Alkanes, C9-12-iso</b>	
Oral LD50 >5000 mg/kg (rat)	
Dermal LD50 >3000 mg/kg (rab)	
<b>1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran</b>	
Oral LD50 >4640 mg/kg (rat)	
Dermal LD50 >6500 mg/kg (rat)	
<b>118-58-1 Benzyl Salicylate</b>	
Oral LD50 2227 mg/kg (rat)	
Dermal LD50 14150 mg/kg (rabbit)	
<b>128-37-0 Butylated hydroxytoluene</b>	
Oral LD50 2930-6000 mg/kg (rat)	
Dermal LD50 2000 mg/kg (rat)	
<b>5989-27-5 d-limonene</b>	
Oral LD50 4400 mg/kg (rat)	
. <b>Primary irritant effect:</b>	
. <b>Skin corrosion/irritation</b>	Based on available data, the classification criteria are not met.
. <b>Serious eye damage/irritation</b>	Causes serious eye irritation.
. <b>Respiratory or skin sensitisation</b>	May cause an allergic skin reaction.
. <b>CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)</b>	
. <b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
. <b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
. <b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
. <b>STOT-single exposure</b>	Based on available data, the classification criteria are not met.
. <b>STOT-repeated exposure</b>	Based on available data, the classification criteria are not met.
. <b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

. <b>12.1 Toxicity</b>	
. <b>Aquatic toxicity:</b>	
<b>1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran</b>	
EC50 48h 0.9 mg/l (daphnia)	
ErC50 72h >0.854 mg/l (alg)	
EbC50 72h >0.723 mg/l (alg)	
LC50 21d 0.452 mg/l (fish)	
NOEC 21 d 0.111 mg/l (daphnia)	
<b>118-58-1 Benzyl Salicylate</b>	
EC50 1.7 mg/kg (daphnia)	
. <b>12.2 Persistence and degradability</b>	No further relevant information available.
. <b>12.3 Bioaccumulative potential</b>	No further relevant information available.
. <b>12.4 Mobility in soil</b>	No further relevant information available.
. <b>Ecotoxicological effects:</b>	
. <b>Remark:</b>	Toxic for fish
. <b>Additional ecological information:</b>	
. <b>General notes:</b>	Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

(Contd. on page 5)

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 15.11.2021

Revision: 15.11.2021

Trade name: **P&O/ BLACK VANILLA**

(Contd. of page 4)

- . 12.5 Results of PBT and vPvB assessment
- . PBT: Not applicable.
- . vPvB: Not applicable.
- . 12.6 Other adverse effects: No further relevant information available.

## SECTION 13: Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation: Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- . Uncleaned packaging:
- . Recommendation: Disposal must be made according to official regulations.
- . Recommended cleansing agents: Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

- . 14.1 UN-Number: UN3082
- . ADR, IMDG, IATA
- . 14.2 UN proper shipping name: 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, DIPENTENE)
- . ADR: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, DIPENTENE), MARINE POLLUTANT
- . IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, DIPENTENE)
- . IATA
- . 14.3 Transport hazard class(es): 9
- . ADR, IMDG, IATA
- . Class: 9 Miscellaneous dangerous substances and articles.
- . Label: 9
- . 14.4 Packing group: III
- . ADR, IMDG, IATA
- . 14.5 Environmental hazards:
- . Marine pollutant: Symbol (fish and tree)
- . Special marking (ADR): Symbol (fish and tree)
- . Special marking (IATA): Symbol (fish and tree)
- . 14.6 Special precautions for user: Warning: Miscellaneous dangerous substances and articles.
- . Hazard identification number (Kemler code): 90
- . EMS Number: F-A,S-F
- . Stowage Category: A
- . 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Not applicable.



- . Transport/Additional information:
- . ADR
- . Limited quantities (LQ): 5L
- . Excepted quantities (EQ): Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml
- . Transport category: 3
- . Tunnel restriction code: -
- . IMDG
- . Limited quantities (LQ): 5L
- . Excepted quantities (EQ): Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml
- . UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN, DIPENTENE), 9, III

## SECTION 15: Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Directive 2012/18/EU
- . Named dangerous substances - ANNEX I: None of the ingredients is listed.
- . Seveso category: E2 Hazardous to the Aquatic Environment
- . Qualifying quantity (tonnes) for the application of lower-tier requirements: 200 t
- . Qualifying quantity (tonnes) for the application of upper-tier requirements: 500 t
- . REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction: 3
- . DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II: None of the ingredients is listed.

(Contd. on page 6)

# SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

Printing date 15.11.2021

Revision: 15.11.2021

Trade name: **P&O/ BLACK VANILLA**

. 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

(Contd. of page 5)

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

. Recommended restriction of use

This material is for industrial use only in household products, cosmetics, fragrances and fragranced products. Our products are Inedible and are not used for food production.

. Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

. Customs tariffs:

3302.90.90.00.00

. Contact:

S.Ulker  
kalite@gulcicek.com

. Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity - oral – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Repr. 2: Reproductive toxicity – Category 2  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3